

www.legrand.com
www.youtube.com/user/legrand
twitter.com/legrand_news

pinterest.com.legrandgroup


L7 legrand

World Headquarters and International Department 87045 Limoges Cedex - France **T** : + 33 (0) 5 55 06 87 87 Fax: + 33 (0) 5 55 06 74 55

Mobile sockets & plugs

PLUG IN ANYWHERE, AT HOME OR AT WORK!

> FOR PROFESSIONALS & THE GENERAL PUBLIC





You're always CONNECTED with mobile sockets and plugs

Multiple uses, for multiple benefits

Whether for leisure, domestic or professional activities, Legrand mobile products offer you peace of mind. Extremely practical, they can be used to plug anything in anywhere! Cleverly-designed, weatherproof, rugged, for both indoor and outdoor use, they save you time and make your life more efficient. You always need a mobile socket close at hand.



Clegrand



Mobile plugs & extensions

I want to be able to plug things in or create an extension inside the house

> "It's so handy, I can adapt the length of cable on my plug myself. The plugs are cleverly designed so that I can plug and unplug easily without the risk of causing any damage".








A PULL RING FOR EASE OF EXTRACTION



Cat.No 0 501 62 2P plug - 6 A White Cat.No 0 501 63 Black Cat.No 0 501 64 Bronze Cat.No 0 501 65 Aluminium Cat.No 0 501 66 White 2P extension - 6 A



EASY-REMOVAL PLUG



360° ROTATING PLUG



- MOBILE LEVER SYSTEM FOR EASE OF EXTRACTION
- A SYSTEM FOR ROTATING AND LOCKING THE CABLE IN THE DESIRED POSITION

.....







Cat.No 0 501 75 White 2P+E plug - 16 A Cat.No 0 501 76 Black



Cat.No 0 501 72 White 2P+E plug - 16 A Cat.No 0 501 73 Black



Cat.No 0 503 24 Grey 2P+E plug - 16 A (also available in black and white) Cat.No 0 503 25 Grey 2P+E extension - 16 A (also available in black and white)

FIND THE PRODUCT YOU NEED IN THE SELECTION CHART ON P.16

Multi-outlet plugs

I want to be able to plug several devices into the same socket inside the house

🕈 루 📕 🚎 🌻 🗌 🗔

"With the multi-socket plugs, I've always got a spare socket to plug my devices into. I use them all the time, they make life easier and blend seamlessly into my decor."





ERGONOMIC CONNECTION TO A WALL SOCKET, FRONT OUTPUTS. HORIZONTAL (3-OUTPUT) OR VERTICAL (2-OUTPUT) VERSIONS



Cat.No 0 506 55 White/Grey Twin-outlet plug 2P+E 16 A 2 outputs Cat.No 0 505 11 Black Cat.No 0 506 56 White/Grey Triple-outlet plug 2P+E 16 A 3 outputs Cat.No 0 505 12 Black

d 📾 🛰 🗓 🖥 🖶 İR 💷 🦕 ਓ 🗖 🛶 ϔ 🏠 🚄 👾 💭 💉 🖾

2-SOCKET PLUG, RUBBER



EASY-REMOVAL 2-SOCKET PLUG



2 SIDE OUTPUTS WITH EXTRACTION BUTTON TO MAKE IT EASIER TO DISCONNECT PLUGS

.....





A STYLISH, ERGONOMIC SOLUTION WITH 3 SIDE OUTPUTS, WHICH BLENDS SEAMLESSLY INTO ANY INTERIOR



2 SHOCKPROOF, WEATHERPROOF

FRONT OUTPUTS WITH IP44 CAPS

Cat.No 0 504 90 Black



Cat.No 0 506 65 White/Grey



Cat.No 0 506 62 White 2P+E plug 16 A 3 side outputs Cat.No 0 506 63 Transparent Cat.No 0 506 64 Aluminium

FIND THE PRODUCT YOU NEED IN THE SELECTION CHART ON P.16

Multi-outlet extensions

l want to protect my devices against surges and manage my energy consumption better

> *"With multi-outlet extensions, I can easily manage all my devices plugged in at home"*



MULTI-OUTLET EXTENSIONS WITH AND WITHOUT SWITCHES





STYLISH, ERGONOMIC MULTI-OUTLET EXTENSIONS. ULTRA-SLIM, THEY CAN SLIDE UNDER A PIECE OF FURNITURE. EQUIPPED WITH A RIGHT-ANGLED SOCKET FOR CONNECTING A TRANSFORMER WITHOUT BLOCKING ANOTHER SOCKET



Cat.No 6 950 06 White/Grey 4 x 2P+E with 1.5 m cable [also available with 3 m cable] Cat.No 6 950 25 Black

Cat.No 6 946 26 White/Grey 4 x 2P+E with 1.5 m cable (also available with 3 m cable) with switch



2000

8 📾 🛰 🕽 📕 🖶 İR 💷 🐜 ਓ 🗔 🛶 ϔ 🏠 🚄 👾 💭 💉 🏠

MULTI-OUTLET EXTENSIONS WITH SURGE PROTECTOR



GREATER COMFORT AND SAFETY. EASY CABLE ORIENTATION WITH THE ROTATING SOCKET BLOCK. THE SPD* PROTECTS DEVICES AGAINST OVERVOLTAGES AND LIGHTNING SURGES

MULTI-OUTLET EXTENSIONS WITH ENERGY SAVING SYSTEM



SAVING ENERGY, EVEN IN STANDBY MODE. THE EXTENSION AUTOMATICALLY SWITCHES OFF POWER TO 4 SOCKETS IF THERE IS NO CONSUMPTION ON THE MASTER SOCKET

MULTI-OUTLET EXTENSIONS WITH SAFETY CONTROL SYSTEM



SAFER CONNECTION WITH POWER CONSUMPTION INDICATOR. THE EXTENSION UNIT IS SWITCHED OFF IF THE MAXIMUM POWER IS EXCEEDED



Cat.No 6 946 51 White/Grey 6 x 2P+E with SPD* (also available in version with overload indicator) 1,5 m cable Cat.No 6 946 11 Black

*Surge protection device

FIND THE PRODUCT YOU NEED IN THE SELECTION CHART ON P.17

Cat.No 6 946 13 Black

1 master 2P+E socket

1 uncontrolled socket 1 SPD* and MCB 1,5 m cable

Extension equipped with:

4 controlled 2P+E sockets

Cat.No 6 946 41 White/Grey Overload indicator Built-in manual reset 4 x 2P+E 1.5 m cable (also available with 3 m cable) Cat.No 6 946 46 White/Grey 6 x 2P+E

Multi-outlet extensions (continued)

I want the freedom to plug in my devices safely anywhere in the house



VERTICAL MULTI-OUTLET EXTENSION WITH USB CHARGERS



SOCKET BLOCK TOWER, PIVOTING ON ITS AXIS, EQUIPPED WITH 2P+E SOCKETS, USB AND MICRO-USB CHARGERS AND SPD* FOR OPTIMUM PROTECTION OF CONNECTED DEVICES

.....



Cat.No 6 946 14 White & grey Extension tower equipped with: 4 x 2P+E sockets + 1 base with 2 USB charging sockets + 1 micro USB connector 2 m cable Cat.No 6 946 19 Black

*Surge protection device

"I can charge all my multimedia devices in any room in the house"



Llegrand

🗆 🛶 ϔ 🏠 🙇 **Ò O** 0

MULTI-OUTLET EXTENSION WITH

WI-FI REPEATER AND ACCES POINT

HORIZONTAL MULTI-OUTLET **EXTENSION WITH USB CHARGERS**



MULTI-OUTLET EXTENSION WITH

INDUCTION CHARGING STATION

- WITH 2P+E SOCKETS AND USB CHARGERS
- HORIZONTAL MULTI-OUTLET **PIVOTING ON ITS AXIS, EQUIPPED**
- THE REPEATER EXTENDS THE REACH OF THE WI-FI NETWORK THROUGHOUT THE HOUSE IN ORDER TO ENSURE CONNECTIVITY

CHARGE SMARTPHONES EFFICIENTLY AND WIRELESSLY, SIMPLY BY PLACING THE DEVICE ON THE CHARGING BASE



Cat.No 6 946 16 Black Extension equipped with: 4 x 2P+E sockets + 2 USB charging sockets 1,5 m cable Available in 6 x 2P+E version Total charging capacity 2400 mA Cat.No 6 946 15 White/Grey

Cat.No 6 946 25 Aluminium Extension equipped with: 4 x 2P+E sockets Wi-Fi repeater + access point Surge protector 2 USB charging sockets 1 micro USB - 2 m cable

FIND THE PRODUCT YOU NEED IN THE SELECTION CHART ON P.16

Cat.No 6 946 30 Aluminium Extension equipped with: 4 x 2P+E sockets + 1 base with 2 USB charging sockets 2400 mA + 1 induction charging station 2 m cable

⊕ WWW.LEGRAND.COM

Connected multi-outlet and plug

WiFi

I want to be alerted about a power failure at home

"I can control my connected sockets remotely, simulate occupancy to deter intruders and receive an alert if there is a power cut"









 \bigcirc

RECEIVE A TEXT MESSAGE ON YOUR SMARTPHONE IN THE EVENT OF A POWER CUT REMOTE ON/OFF: OPTION TO SWITCH APPLIANCES ON OR OFF REMOTELY OR SIMULATE OCCUPANCY FROM YOUR SMARTPHONE



→ ピ 回回

PROGRAM AND SET SCENARIOS REMOTELY: OPTION TO SET THE TIME OR DAY FOR SWITCHING APPLIANCES ON OR OFF OR CREATE SCENARIOS MEASURE AND SAVE ENERGY: THE TV IS CONNECTED TO THE MAIN SOCKET. DEVICES CONNECTED TO THE OTHER SOCKETS ARE ONLY POWERED IF THE TV IS ON

.....

Cat. No. 6 946 90 Black 16 A - 230V - 50Hz with 1,5 m cable Each socket can be controlled separately Direct connection to the box via Wi-Fi Fast configuration with smartphone

Cat. No. 6 946 80 Black 14 A/250 V - 3220 W

Direct connection to the box via Wi-Fi Fast configuration with smartphone

FIND THE PRODUCT YOU NEED IN THE SELECTION CHART P.18

Rubber plugs & extensions

I want to be able to plug things in or create a weatherproof extension outdoors or on a work site

> "I use rugged sockets in my workshop and when working outdoors to help protect myself and my tools"







A RUGGED, WEATHERPROOF AND ERGONOMIC SOLUTION WITH AUTOMATIC TERMINALS TO SAVE WIRING TIME

.....




Cat.No 0 503 40 Black 2P+E plug - 16 A IP 44 - IK 08 Cat.No 0 503 41 Black Mobile socket 2P+E - 16 A IP 44 - IK 08 Compatible with plugs Cat.Nos. 0 503 40/42

"Thanks to weatherproof sockets, I can use the lawnmower or plug in my barbecue in complete safety"

Clegrand

0 📾 🛰 🕽 🖬 🖶 İli 💷 🐜 🧲 🗔 🛶 🌾 🏠 🚄 👾 🏠 🌽



3 x 2P+E EXTENSION WITH CAPS



GUARANTEED WEATHERPROOF SEAL WITH CAPS AND PLUG INSERTED. UP TO 3 PLUGS

.....

"OCTOPUS" MULTI-OUTLET EXTENSION



RUGGED AND WEATHERPROOF

MULTI-OUTLET EXTENSION WITH

3 SIDE OUTPUTS, PARTICULARLY SUITABLE FOR USE ON WORK SITES*

.....

IP 44 - GUARANTEED WEATHERPROOF WITH CAP AND PLUG INSERTED

.....



Cat.No 0 513 69 Black

3 x 2P+E - 16 A

IP 44 - IK 08

Lockable mobile socket

Cat.No 0 503 44 Black Mobile socket with voltage indicator 2P+E - 16 A IP 44 - IK 08

.





.....

Cat.No 0 503 77 Black Multi-outlet extension 3 outputs 2P+E - 16 A IK 10

*Conforming to the recommendations of the OPPBTP (French professional organisation for accident prevention in building and civil engineering)

P17 Tempra Pro High-power plugs

I want to be able to plug in professional tools rated up to 32 A in damp locations or outdoors

> "My priority when I'm working is to save time during installation. Strong, cleverly-designed high-power plugs and sockets mean I can work faster without compromising safety"


T 🛋 💪 🖕 🔒 🛊 🌾







QUICK OPEN/CLOSE SYSTEM FOR **FASTER INSTALLATION**



Cat. Nos. 5 551 28/0 901 041 Plugs can be IP 44 plug 3P+E, 16 A $380/415 \, V \sim$


equipped with a protective rubber cap

Llegrand

& sockets

☐ ▲ L ▲ B ♥ ♥ ☐ ▲ L ▲ B ♥ ♥ ♥ ☐ ▲ L ▲ B ♥ ♥

MOBILE SOCKETS





PANEL MOUNTING SOCKET WITH



GRIPPING AREAS ON THE BODY OF THE MOBILE PRODUCTS AND CABLE GRIP FOR EASE OF HANDLING

IP2X ELECTRICALLY-INSULATING TERMINAL SHIELDS AT THE BACK OF PANEL MOUNTING SOCKETS TO REDUCE THE RISK OF CONTACT WITH LIVE PARTS

SURFACE MOUNTING SOCKET



- **2 DIFFERENT MOUNTING POSITIONS** (5° OR 25°) WHICH ALLOW USERS TO ADAPT TO THE SPACE AVAILABLE, WITHOUT CHANGING THE BOX

.....



Cat. Nos. 5 551 08/0 901 081 IP 44 mobile socket 3P+E, 16 A 380/415 V ∕

Cat. Nos. 5 553 84/0 901 631 IP 44 panel mounting socket 2P+E, 16 A 200/250 V \sim


FIND THE PRODUCT YOU NEED IN THE SELECTION CHART ON P.19



Cat. Nos. 5 552 58/0 901 591 IP44 surface mounting socket 3P+E, 32 A $380/415 V \sim$

⊕ WWW.LEGRAND.COM

Selection charts




🕈 🕈 🛚 🚎 🕑 🗆 🖬 🖶 📾 🤜 🕽 📲 🖨 🗐 🖳 🖕 🌾

| RUBBER PLUGS AND EXTENSIONS FOR INTENSIVE OR OUTDOOR USE | | | | | | | | |
|--|-------------------------|---|-----------------------------------|------------------------------------|--|-------------------|---|-------------------|
| PLUG | CABLE (max) | | Cat.No | EXTENSION Cat.No | | MULTI-OUTLET PLUG | | Cat.No |
| Rubber | 2 x 1,5 mm ² | 2P - 16 A | 0 504 51 | Use one of the 2P+E type extension | s below | | 3 front outputs | Black 0 513 69 |
| IP 44 straight output | | 2P+E - 16 A With screw cable grip | 0 503 42 0 501 96 ¹ | IP 44 straight output | Black 0 503 43 0 501 97 ¹ | | Protective flaps | |
| Side outpout and pull ring | 3 x 2,5 mm² | | 0 502 52 0 969 29 ¹ | Protective flap | Black 0 503 44 0 501 98 ¹ | | "Octopus" multi-outlet extensions | Black |
| IP 44 straight output | | 2P+E - 16 A With cable grand | 0 503 40 | IP 44 straight output | Black 0 503 41 | | | 0 503 77 |

^[1]Gencod labelling

| MULTI-OUTLET EXTENSIONS | | | | | | | | | |
|--|---|--|--|--|--|--|--|--------------------------------|--------------------------------|
| | NUMBER OF SOCKETS | WHITE / GREY 🌒 | | | | BLACK | | | |
| WHICH EXTENSION SHOULD I CHOOSE? | | CABLE LENGTH | | | | CABLE LENGTH | | | |
| | | Without | 1.5 m | 3 m | 5 m | Without | 1.5 m | 3 m | 5 m |
| Ultra-slim multi-outlet extensions | 3 x 2P+E 4 x 2P+E 5 x 2P+E 6 x 2P+E | 6 950 04 6 950 09 6 950 14 6 950 19 | 6 950 01 6 950 06 6 950 11 6 950 16 | 6 950 02 6 950 07 6 950 12 6 950 17 | 6 950 03 6 950 08 6 950 13 6 950 18 | 6 950 23 6 950 33 6 950 38 6 950 45 | 6 950 10 6 950 25 - - | 6 950 15 6 950 28 - - | 6 950 20 6 950 30 - - |
| Multi-outlet extensions with rotating socket block | 3 x 2P+E 4 x 2P+E 5 x 2P+E 6 x 2P+E | 6 946 24 6 946 29 6 946 34 6 946 39 | 6 946 21 6 946 26 6 946 31 6 946 36 | 6 946 22 6 946 27 6 946 32 6 946 37 | | 6 946 03 6 946 06 6 946 08 6 946 10 | 6 946 01 6 946 04 6 946 07 6 946 09 | 6 946 02 6 946 05 - - | |
| Multi-outlet extensions with SPD | 4 x 2P+E 6 x 2P+E | : | 6 946 51 6 946 56 | : | : | : | 6 946 11 6 946 12 | : | : |
| Multi-outlet extensions with overload indicator | 4 x 2P+E 6 x 2P+E | : | 6 946 41 6 946 46 | 6 946 43 6 946 47 | : | : | : | : | : |
| "Standby energy saver" multi-outlet extensions | 6 x 2P+E | - | - | - | - | - | 6 946 13 | - | - |
| Multi-outlet extensions with USB charging sockets | 4 x 2P+E 6 x 2P+E 2 USB charger sockets | - | 6 946 15 6 946 17 | - | | - | 6 946 16 6 946 18 | - | - |

Selection charts (continued)





| CONNECTED MULTI-OUTLET | | | | | | |
|------------------------|--------------|----------------------|----------|--|--|--|
| EXTENSION | CABLE LENGTH | NUMBER OF SOCKETS | BLACK | | | |
| Connected multi-outlet | 1.50 m | 4 x 2P+E | 6 946 90 | | | |

☐ ▲ L ↓ A ♥ ♥ # ☐ ▲ L ↓ A ♥ ♥ # ☐ ▲ L ↓ A ♥ ♥ *

| PLUGS AND EXTENSIONS FOR INTENSIVE OR OUTDOOR USE ⁽¹⁾ | | | | | | | | |
|--|---------|--------|-----------------------|--------------------------|---------------------------------|-----------------------------------|--|--|
| VOLTAGE | CURRENT | TYPE | PLUG Cat.No | MOBILE SOCKET Cat. No | PANEL MOUNTING SOCKET Cat.No | SURFACE MOUNTING SOCKET Cat.No | | |
| 200 - 250 V | 16 A | 2P+E | 0 901 03 0 901 05 | | 0 901 68 | 0 901 67 | | |
| 200 - 230 V | 32 A | Zr+E | 0 901 07 | 0 901 06 | 0 901 69 | 0 901 80 | | |
| | 16 A | 3P+E | 0 901 04 | 0 901 08 | 0 901 63 | 0 901 59 | | |
| 380 - 415 V | 10 A | 3P+N+E | 0 901 19 | 0 901 09 | 0 901 64 | 0 901 60 | | |
| | 32 A | 3P+E | 0 901 31 | 0 901 23 | 0 901 65 | 0 901 61 | | |
| | | 3P+N+E | 0 901 32 | 0 901 25 | 0 901 66 | 0 901 62 | | |

^[1]Individual packaging (heat shrinkable film)